

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JUL 28 2003

Returned to applicant for correction _____

Corrected application filed _____

Map filed JUL 28 2003

The applicant **Richard G. Worthen**, hereby makes application for permission to change the **Point of Diversion, Manner of Use, and Place of Use** of water heretofore appropriated under Permit No. 65396

1. The source of water is **an underground source – Las Vegas Valley Basin**
2. The amount of water to be changed **32.52 acre feet**
3. The water to be used for **commercial and domestic use**
4. The water heretofore permitted for **quasi – municipal domestic**
5. The water is to be diverted at the following point **within the Southeast Quarter (SE¼) of the Southwest Quarter (SW¼) of Section 19, Township 23 South, Range 61 East, M.D.B.&M. at a point that bears North 65°00' East a distance of 300.00 feet to the Northeast Corner of the Southeast Quarter (SE¼) of the Southwest Quarter (SW¼) of said Section 19.**
6. The existing permitted point of diversion is located within the **Northeast Quarter (NE¼) of the Southwest Quarter (SW¼) of Section 7, Township 20 South, Range 62 East, MDB&M, at a point that bears North 58°05'19" East a distance of 1539.47 feet to the Northeast Corner of the Northeast Quarter (NE¼) of the Southwest Quarter (SW¼) of said Section 7.**
7. Proposed place of use is **within the Southeast Quarter (SE¼) of the Southwest Quarter (SW¼) of Section 19, Township 23 South, Range 61 East, MDB&M.**
8. Existing place of use is **within the Northeast Quarter (NE¼) of the Southwest Quarter (SW¼) of Section 7, Township 20 South, Range 62 East, MDB&M.**
9. Use will be from **January 1st to December 31st of each year.**
10. Use was permitted from **January 1st to December 31st of each year.**
11. Description of proposed works **Well, pump, tank and distribution pipeline.**
12. Estimated cost of works **\$50,000.00**
13. Estimated time required to construct works **Two (2) years**
14. Estimated time required to complete the application of water to beneficial use **Three (3) years**
15. Remarks: **Water will be used for concrete ready-mix plant, dust control and domestic uses.**

By **s/Stephen F. Turner**
1210 Hinson Street
Las Vegas, Nevada 89102

Compared cmf/sam ag/ cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of the waters of an underground source as heretofore granted under Permit 65396 is issued subject to the terms and conditions imposed in said Permit 65396 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The issuance of Permits 70266 and 70267 reduces the total combined duty of Permit 65397, 65398 and 65399 to 24.815 acre-feet annually.

Permit 70266 is granted to provide commercial water service to a parcel described as Clark County Assessor's Parcel Number 191-19-401-002.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.045 cubic feet per second, but not to exceed 32.52 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

January 25, 2005

Proof of completion of work shall be filed on or before:

February 25, 2005

Water must be placed to beneficial use on or before:

January 25, 2008

Proof of the application of water to beneficial use shall be filed on or before:

February 25, 2008

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 5th day of April, A.D. 2004


State Engineer

Completion of work filed

JAN 13 2005

Proof of beneficial use filed

Cultural map filed

N/A

Certificate No.

Issued

